

## JIUHE Upper Driven Truck Mounted Concrete Line Pump Concrete Pumps

Our Product Introduction

for more products please visit us on [concretepumpstrucks.com](http://concretepumpstrucks.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: JIUHE
- Certification: ISO CE
- Model Number: 100m3/h
- Minimum Order Quantity: 1
- Packaging Details: 40 CONTAINER
- Delivery Time: 15 WORKING DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 100SET



### Product Specification

- Brand: JIUHE
- Warranty: 1 Year
- Condition: New
- Brand Of Diesel Engine: DEUTZ
- Keyword: Concrete Line Pump
- Main Pump: Rexroth
- Cylinder Diameter: 200mm
- Hopper Capacity: 0.6m3
- Max. Aggregate Diameter: Crushed Stone: 40 / Pebble: 50
- Max. Delivery Distance: 1000m
- Max. Delivery Height: 260m
- Max. Horizontal Delivery Distance: 880m
- Max. Theoretical Conveying Capacity: 100m3/h
- Outlet Diameter: 125mm



### More Images



## Product Description

JIUHE Upper Driven Truck mounted Concrete Line Pump Concrete Pumps for sale

### Truck mounted concrete pump

Jiuhe cooperates with internationally known industrial design company to have the product combined aesthetic thoughts, making it with a all around creative design, then the new vehicular concrete pump was launched after a full research on its reasonable whole layout. Adopting Europe fashionable design idea makes product appearance beautiful, styled, smooth and human-friendly. All of those Giveing customers a great feast, and at the same time, the convenience of operation and maintenance are also increased a lot. Thoughtful attention to every details guarantee product with best quality to the number 1 in domestic market and the leading role in world.

**Lubricating system:** Lubricating system uses automatic multi-point lubricating technology, one-to-one lubrication, and with better performance and prolonged the lifetime of easy wear parts.

**Electrical parts:** Main electric elements are from Schneider and LG, the reliability of the electric-control system is highly improved.

**Automatic protection technology:** Diesel engine startup protection, electric system failure and short circuit protection, auto protection of diesel engine on too high temperature water and low oil pressure, speed limit protection of diesel engine, and quick-stop button.

**Quality guarantee** More reliable service quality and save your cost accordingly. Qingdao Jiuhe Heavy Industry Machinery Co., Ltd. has a high quality after-sales service tem with knowledge and experience, and well equipped, readying to provide service for your equipment, anytime and anywhere. Multi-level, multimode and high efficiency service training make the service team develop all of their skills and each of them an expert in this field. Providing you with high quality pre-sales, sale and after sales service, one-stop total solution and the efficient save system, guaranteeing your equipment running well without worries and maximum save your costs.

| ITEM 目         | UNIT                                                    | SPECIFICATION 明                    |
|----------------|---------------------------------------------------------|------------------------------------|
| Model型号        |                                                         | JHZ514THB-100-22                   |
| Driving system | Chassis brand底 品牌                                       | JIEFANG/ CA1167                    |
|                | Fuel type燃料 型                                           | Diesel                             |
|                | Displacement/Power                                      | L/KW 4.4/162                       |
|                | Displacement standard排放 准                               | GB3847/GB17691 National Standard V |
|                | Tyre model 胎型号                                          | 9.00R20                            |
|                | Axle base 距                                             | m 4.9                              |
|                | quantity of axles 数                                     | 2                                  |
|                | Max. driving speed最大行 速度                                | Km/h 89                            |
|                | Front wheel base前 距                                     | mm 1800                            |
|                | Back wheel base后 距                                      | mm 1740                            |
|                | Brand of diesel engine柴油机品 牌                            | DEUTZ                              |
|                | Diesel engine model 柴油机型号                               | BF6M1013-25T3R                     |
|                | Diesel engine power柴油机功率                                | KW 186                             |
|                | Driving mode 行                                          | Hydraulic driving                  |
|                | Main oil pump主油                                         | Rexroth                            |
|                | Oil cylinder inner diameter × stroke<br>油缸内径×行程         | mm Φ180×1900                       |
|                | Concrete cylinder inner diameter<br>× stroke<br>混凝土缸×行程 | mm Φ230×1900                       |
|                | Oil pressure of system<br>系 油                           | MPa 32                             |

|                          |                                              |                |                                            |
|--------------------------|----------------------------------------------|----------------|--------------------------------------------|
| Pumping system           | Switch of H-pressure and L-pressure<br>高低 装置 |                | Equipped                                   |
|                          | Fuel tank capacity<br>燃料油缸容量                 | L              | 300                                        |
|                          | Oil tank capacity<br>液 油缸容量                  | L              | 740                                        |
|                          | Cooling mode of hydraulic system<br>液系 冷却形式  |                | Fan cooling 冷                              |
|                          | Hopper capacity料斗容                           | m <sup>3</sup> | 0.6                                        |
|                          | Feeding height上料高度                           | mm             | ≤1500                                      |
|                          | Concrete slump混凝土 落度                         | cm             | 14 23                                      |
|                          | Max. aggregate diameter<br>最大骨料粒径            | mm             | Crushed stone: 40 / Pebble: 50<br>碎石40卵石50 |
|                          | Valve管                                       |                | S Valve S                                  |
|                          | Water pump for cleaning<br>清洗水               |                | water pump                                 |
|                          | Concrete pipe cleaning mode<br>混凝土管路清洗方式     |                | Water cleaning<br>水洗                       |
|                          | Water tank capacity<br>水箱容                   | L              | 400                                        |
|                          | Operation mode<br>操作方式                       |                | Manual /Wire手 ,有 遥控                        |
|                          | Lubrication mode<br>滑方式                      |                | Automatic自                                 |
| Overall dimension        | Length (mm) 度                                | mm             | 9195                                       |
|                          | Width (mm) 度                                 | mm             | 2458                                       |
|                          | Height (mm)高度                                | mm             | 2623                                       |
| Full-load total weight 重 |                                              | Kg             | 13500                                      |











## COMPANY



## CERTIFICATE



**Trade Assurance**

100% protection for product quality and on-time shipment.




## Customer Visit



## Exhibition



## Packing



## Development strategy



Strives for the survival by the quality, seek development by science and technology

### **Corporate philosophy**

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

### **JiuHe Service**

As a professional company, we promise as following:

#### **JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.**

##### **A. Pre-sales service:**

1. Selecting the most suitable equipment,
2. Designing your personal machinery according to special construction demands,
3. Training your technicians to operate our equipment,
4. Providing advice to ensure equipment running well in various construction environments,
5. Making new construction scheme if necessary.

##### **B. Sales service:**

1. Equipment delivery transport agent,
2. Equipment quality control before delivery,
3. Introduce our service system to customers.

##### **C. After-sales service:**

1. Making the first construction scheme,
2. Installing and debugging your equipment,
3. Troubleshooting on site, prompt and initiative,
4. door to door accessories and parts,
5. Opportunities to get technical communications with our engineers.

##### **D. Value-added service:**

1. Overall process and zero distance technology tracking service for key projects,
2. Carry out large maintenance business,
3. Regular equipment checking service,
4. Technology update,
4. Provide professional periodic maintenance standards for customers.

#### **JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:**

1. Dispatch technicians to install and debug equipment in time if necessary,
2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
3. Provide free operation and maintenance training service for users
4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.

**Qingdao Jiuhe Heavy Industry Machinery Co.,Ltd**



**Bella Chao**  
Sales Manager  
+86-18765268972



+86-18765268972

+86-15764227812

+86-15764227812

Bella@jiuhezg.com





**Qingdao Jiuhe Heavy Industry Machinery Co., Ltd**



+8618765268972



bella@jiuhezg.com



concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.