

JIUHE DHbts80 80m3/H Concrete Pump On Sale

Basic Information

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE
Model Number: 80m3/h
Minimum Order Quantity: 1

Packaging Details: 40 CONTAINERDelivery Time: 15 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



Product Specification

Brand: JIUHEWarranty: 1 YearCondition: New

· Color: As Requested · Keyword: Concrete Pump • Main Pump: Kawasaki • Cylinder Diameter: 200mm 0.45m3 . Hopper Capacity: Max. Aggregate Diameter: 40mm • Max. Delivery Distance: 1000m • Max. Delivery Height: 250m Max. Horizontal Delivery 800m

 Max. Theoretical Conveying 90m3/h Capacity:

O. Hat Diameters 105---



More Images

Distance:



Product Description

JIUHE DHbts80 80m3/H Concrete Pump on Sale

Introducing the 80m³/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 80m³/h Hydraulic Trailer Pump:

- 1.High Productivity: Our 80m³/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 60 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable for both small and large-scale construction projects.
- 2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.
- 3. Convenient Operation: Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.
- 4.Robust Durability: The 80m³/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.
- 5. Versatile Multi-Purpose: This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

n 目		Unit 位	Parameter参数
Pumping system 送系	Max. theoretical delivery volume 最大理 送量	m³/h	80
	Max. theoretical delivery pressure 最大理 送力	Мра	15.7
	Max. theoretical delivery height 最大理 送高度	m	250
	Max. theoretical delivery distance 最大理 送距	m	1000
	Max. delivery frequency 最大 送 率	times/min	26 (low pressure低); 16 (high pressure高)
	Type of distribution valve 分配 形式		S tube valve S 管
	Specification of delivery cylinder 送缸 格	mm	200×1650
	Specification of main cylinder 主油缸 格	mm	Ф140/90×1650
	Volume of gasoline tank 液油箱容	L	420
	Hopper capacity 料斗容	L	600
	Hoisting height 上料高度	mm	1450
	Output opening diameter 出料口直径	mm	150
	Inner dia. of delivery pipe 送管内径	mm	125
	Fuel consumption 油耗		228g/kwh
	Power of diesel engine 柴油机功率	Kw	176
	Rated rotate speed 定速	r/min	2300
	Idling speed 怠速	r/min	800
	Voltage of battery cell 蓄池	V	24VDC
	Volume of oil tank 油箱容	L	150
Hydraulic system 液系	Hydraulic oil circuit type 液 油循 形式		Open circuit 式
	Max. oil pressure of main system 主系 油	MPa	32
	Max. oil pressure of mixing system 拌系 油	МРа	14
	Max. mixing rotate speed 最大 拌 速	r/min	24

Other parameters 其他参数	Concrete slump 混凝土 落度	mm	80 200
	Allowable max dia. of aggregate 允 最大骨料粒径	mm	Pebble50, crushed stone 40
	Dimension (length×width× height) 尺寸	mm	6600×1930×2190
	Weight 重量	Kg	6800





COMPANY













CERTIFICATE







































Customer Visit



Exhibition



Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

JiuHe Service

As a professional company, we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

A. Pre-sales service:

- 1. Selecting the most suitable equipment.
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.



Qingdao Jiuhe Heavy Industry Machinery Co., Ltd

+8618765268972

bella@jiuhezg.com



© concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.