China Concrete Pump Truck Factory JIUHE Concrete Pumps HBC100 Without **Truck Concrete Pump For Sale**

Our Product Introduction

for more products please visit us on concretepumpstrucks.com

| Basic Information | |
|--|-----------------|
| Place of Origin: | CHINA |
| Brand Name: | JIUHE |
| Certification: | ISO CE |
| Model Number: | 100m3/h |
| Minimum Order Quantity: | 1 |
| Packaging Details: | 40 CONTAINER |
| Delivery Time: | 15 WORKING DAYS |
| Payment Terms: | L/C, T/T |
| Supply Ability: | 100SET |



| • Brand: JIUHE | |
|--|----|
| • Warranty: 1 Year | |
| Condition: New | |
| Brand Of Diesel Engine: DEUTZ | |
| Keyword: Concrete Line Pump | |
| Main Pump: Rexroth | |
| Cylinder Diameter: 200mm | |
| • Hopper Capacity: 0.6m3 | |
| Max. Aggregate Diameter: Crushed Stone: 40 / Pebble: 5 | 50 |
| Max. Delivery Distance: 1000m | |
| Max. Delivery Height: 260m | |
| Max. Horizontal Delivery 880m Distance: | |

• Max. Theoretical Conveying 100m3/h Capacity:





More Images



Product Description

China concrete pump truck factory JIUHE concrete pumps HBC100 without truck concrete pump for sale Truck mounted concrete pump

Jiuhe cooperates with internationally known industrial design company to have the product combined aesthetic thoughts, making it with a all around creative design, then the new vehicular concrete pump was launched after a full research on its reasonable whole layout. Adopting Europe fashionable design idea makes product appearance beautiful, styled, smooth and human-friendly. All of those Giveing customers a great feast, and at the same time, the convenience of operation and maintenance are also increased a lot. Thoughtful attention to every details guarantee product with best quality to the number In domestic and the leading role in world. Lubricating system:Lubricating system uses automatic multi-point lubricating technology, one-to-one

Electrical parts: Main electric elements are from Schneider and LG, the reliability of the electric-control

system is highly improved.

Automatic protection technology: Diesel engine startup protection, electric system failure and short circuit protection, auto protection of diesel engine on too high temperature water and low oil pressure, speed limit protection of diesel engine, and quick-stop button. Quality guaranteeMore reliable service quality and save your cost accordingly. Qingdao Jiuhe Heavy

Industry Machinery Co., Ltd. has a high quality after-sales service tem with knowledge and experience, and well equipped, readying to provide service for your equipment, anytime and anywhere. Multi-level, multimode and high efficiency service training make the service team develop all of their skills and each of them an expert in this field. Providing you with high quality pre-sales, sale and after sales service, one-stop total solution and the efficient save system, guaranteeing your equipment running well without worries and maximum save your costs.

Our Product Introduction

| tor ma | • |
|--|----|
| ore | |
| for more products please visit us on concretepumpstr | - |
| с С | |
| lease | • |
| VISIT | i. |
| SU | |
| 9 | |
| concre | |
| jeb | |
| ŭ | |
| pst | |
| ruc | |
| KS. | |
| com | |
| _ | |

| ITEM 目 | | UNIT | SPECIFICATION 朋 | |
|--------------------------|---|----------------|----------------------------------|--|
| Model型号 | | | JHZ514THB-100-22 | |
| | Chassis brand底 品牌 | | JIEFANG/ CA1167 | |
| | Fuel tpye燃料 型 | | Diesel | |
| | Displacement/Power | L/KW | 4.4/162 | |
| | Displacement standard排放 准 | | GB3847/GB17691 National Standard | |
| | Tyre model 胎型号 | | 9.00R20 | |
| Driving system | Axle base 距 | m | 4.9 | |
| | quantity of axles 数 | | 2 | |
| | | Km/h | 89 | |
| | Front wheel base前距 | mm | 1800 | |
| | | | | |
| | Back wheel base后 距 Brand of diesel engine柴油机品 | mm | 1740 | |
| | 牌 | | DEUTZ | |
| | Diesel engine model 柴油机型号 | | BF6M1013-25T3R | |
| | Diesel engine power柴油机功率 | КW | 186 | |
| | Driving mode 17 | | Hydraulic driving | |
| | Main oil pump主油 | | Rexroth | |
| | Oil cylinder inner diameter × stroke | mm | Ф180×1900 | |
| | 油缸内径×行程 Concrete cylinder inner diameter × stroke | mm | Ф230×1900 | |
| | 混凝土缸X行程 Oil pressure of system | MPa | 32 | |
| | 系油 Switch of H-pressure and L- | wir a | | |
| | pressure 高低 装置 | | Equipped | |
| | Fuel tank capacity 燃料油缸容量 | L | 300 | |
| Pumpin g | 阀 油缸谷重 | L | 740 | |
| system | Cooling mode of hydraulic system 液系冷却形式 | | Fan cooling 泠 | |
| | Hopper capacity料斗容 | m ³ | 0.6 | |
| | Feeding height上料高度 | mm | ≤1500 | |
| | Concrete slump混凝土 落度 | ст | 14 23 | |
| | Max. aggregate diameter | mm | Crushed stone: 40 / Pebble: 50 | |
| | 最大骨料粒径 | | 碎石40卵石50 S Valve S | |
| | Water pump for cleaning | | water pump | |
| | 清洗水 Concrete pipe cleaning mode | | Water cleaning | |
| | 混凝土管路清洗方式 Water tank capacity | | 水洗 | |
| | 水箱容 Operation mode | L | 400 | |
| | 操作方式 | | Manual /Wire手 ,有 遥控 | |
| | Lubrication mode 滑方式 | | Automatic自 | |
| | Length (mm) 度 | mm | 9195 | |
| Overall dimensi on | Width (mm) 度 | mm | 2458 | |
| | Height (mm)高度 | mm | 2623 | |
| Full-load | I I total weight 重 | Kg | 13500 | |











Customer Visit



Exhibition





Development strategy

Strives for the survival by the quality, seek development by science and technology

Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

JiuHe Service

As a professional company,we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX cu

A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

B. Sales service

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

C. After-sales service

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

JIUHE HEAVEY INDUSTRY MACHINERY S

1. Dispatch technicians to install and debug equipment in time if necessary,

2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,

3. Provide free operation and maintenance training service for users

4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.

Qingdao Jiuhe Heavy Industry Machinery Co.,Ltd **Bella Chao** Sales Manager +86-18765268972 III +86-18765268972 🙊 +86-15764227812 +86-15764227812 🗐 Bella@jiuhezg.com

Gingdao Jiuhe Heavy Industry Machinery Co., Ltd

🔇 +8618765268972 🤄 bella@jiuhezg.com 📀 concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.