

13m 15m 17m Traction Type Concrete Placing Boom/Spider Boom With Wheel/Hydraulic Concrete Placing Boom

Basic Information

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE

Model Number: 13m 15m 17m 21m

Minimum Order Quantity:

• Delivery Time: 15 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



Product Specification

• Model: 13m 15m 17m 21m

• Weight: 3500kg

• UNIQUE SELLING POINT: Fully Hydraulic System

• Condition: New

• Highlight: 380V hydraulic concrete placing boom,

380V spider boom with wheel,

hydraulic concrete spider boom with wheel



More Images







Product Description

High sale!13m 15m 17m Traction type concrete placing boom/spider boom with wheel/hydraulic concrete placing boom

In the voice of JIUHE MACHINERY GROUP, we are pleased to introduce the advantages of our Mobile Concrete Placing Boom:

- 1.Precision Construction: Our Mobile Concrete Placing Boom is equipped with advanced hydraulic systems and precision control technology to ensure the accurate placement of concrete. This means that in high-rise buildings, bridges, tunnels, or other construction projects, you can achieve highly precise and consistent concrete placement, reducing waste and rework.
- 2.Expanded Construction Range: The Mobile Concrete Placing Boom features adjustable arm lengths, allowing easy coverage of large construction areas, including tall buildings, deep excavations, and distant work sites. This improves construction efficiency and reduces the need for equipment repositioning.
- 3.High Efficiency and Cost Savings: Our placing boom offers a high delivery rate, enabling rapid completion of concrete construction tasks. This reduces labor costs and construction timelines, contributing to overall project efficiency.
- 4.Convenient Mobility: The Mobile Concrete Placing Boom can be easily transported to different job sites without the need for extensive installation and dismantling. This enhances project flexibility while saving valuable time.
- 5.Safety: Our boom's design takes safety factors into consideration, with stable support systems and safety control features to ensure the highest level of safety during construction.
- 6.Reliability: JIUHE's Mobile Concrete Placing Boom is carefully designed and rigorously tested to ensure stable operation in various job site conditions, enduring continuous use.

Item	HGY15	HGY17
Max. placing radius	15m	17m
Big arm length	6m	6.66m
Medium arm length	5m	5.73m
Small arm length	4m	4.61m
Big arm elevation	0-70°	0-70°
Medium arm elevation	0-180°	0-180°
Small arm elevation	0-180°	0-180°
Tail Rotary radius	2.81m	3.5m
Max. theory delivery pressure	24Mpa	25Mpa
Rotation range	360°	360°
Overall height	2.6m	3.2m
Inner Dia. of delivery pipe	125mm	125mm
Rated voltage	380V	380V
Total power	4KW	5.5KW
Rated revolution	0.3-0.8r/min	0.3-0.8r/min
Type of hydraulic oil circuit	Open circuit	Open circuit
Type of hydraulic oil	HM-N46	HM-N46
Allowed max. aggregate diameter	40MM	40MM
Length of rubber hose	3M	зм
Weight(self-weight)	3300KG	5000KG
Weight(total weight)	5500KG	7200KG

序号 NO.	目ITEM	位UNIT	参数PARAMETER	参数PARAMETER
1	最大布料半径 Max. placing radius	М	15	17
2	大臂 度 Big arm length	М	6	6.66
3	中臂 度 Medium arm length	М	5	5.73
4	小臂 度 Small arm length	М	4	4.61
5	布料 管 Hose	ММ	Ø 125x3000	Ø 125x3000

	大臂仰角			
6	Big arm		0-85	0-85
Ĭ	elevation			
	中臂仰角			
7	Medium arm	0	0 180	0 180
ľ	elevation			0.00
	小臂仰角			
8	Small arm	0	0 180	0 180
	elevation			
	尾部回 半径			
9	Tail Rotary	MM	2810	3510
	radius			
10	Rated voltage	V	380V	380V
'0	定力	\ <u>'</u>		000 V
11	机功率	kW	4	5.5
	Total Power		<u> </u>	
l. <u>.</u>	系 力			
12		Мра	24	24
	Pressure			
13	回范	0	0 360	0 360
	Rotary range			
14	支腿跨度 Outrigger span	мм	4300×4300	4300×4300
	Outrigger spair			
15	整机高度	ММ	2600	3640
	Overall height			
16	整机重量	KG	4800	6500
Ľ	l otal weight	``		
17	配重重量	KG	2200	2200
Ľ	Counter weight			
	操作方式		面板/无 遥控	面板/无 遥控
18	Control mode		Panel/ Wireless remote	Panel/ Wireless remote
1		l	control	control







COMPANY













CERTIFICATE







































Customer Visit



Exhibition



Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

JiuHe Service

As a professional company, we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

C. After-sales service:


- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.



Qingdao Jiuhe Heavy Industry Machinery Co., Ltd

+8618765268972

bella@jiuhezg.com



© concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.