

Small Lightweight HBT50 Electric Concrete Pump Type Concrete Trailer Pump

Basic Information

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE
Model Number: 50m3/h
Minimum Order Quantity: 1

Packaging Details: 40 CONTAINERDelivery Time: 15 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



Product Specification

Brand: JIUHEWarranty: 1 YearCondition: New

Color: As Requested
Keyword: Concrete Pump
Main Pump: Kawasaki
Cylinder Diameter: 200mm
Hopper Capacity: 0.45m3
Max. Aggregate Diameter: 40mm
Outlet Diameter: 125mm

• Type: Trailer Concrete Pump

• Weight: 4000kg

Highlight: HBT50 electric concrete pump,

HBT50 concrete trailer pump, lightweight concrete trailer pump



More Images







Product Description

Small lightweight HBT50 electric concrete pump type concrete trailer pump

Introducing the 50m³/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 50m³/h Hydraulic Trailer Pump:

- 1.High Productivity: Our 50m³/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 60 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable for both small and large-scale construction projects.
- 2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.
- 3. Convenient Operation: Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.
- 4.Robust Durability: The 50m³/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.
- 5. Versatile Multi-Purpose: This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

Items		Units	Parameters
Whole machines performance	Theoretical max. discharging volume	m³/h	50
	Theoretical max. delivery pressure	Мра	13
	Max. Delivery speed	times/min	20
	Theoretical max. Vertical	m	150
	Delivery distance Horizontal	m	350
	Type of distribution valve		S valve
	Specification of delivery cylinder	mm	Φ200×1200
	Specification of main oil cylinder	mm	Ф125/Ф80×1200
	Oil tank capacity	Ĺ	300
	Hopper capacity	Ĺ	600
	Feeding height	mm	1400
	Outlet opening Diameter	mm	Φ150
	Inner dia. of delivery pipe	mm	Φ125
	Seal parts		American Parker
	Intermediate relay		Siemens Germany
	Relay Sockets		Siemens Germany
	Pipe joints		American Eaton
Power system	Main Motor power	Kw	55
	Rated voltage	V	380
	Rated speed	r/min	1480
	Hydraulic oil circuit type		Open circuit
	Max. Oil pressure of pumping system	MPa	28
	Max.oil pressure of mixing system	MPa	14
	Max. Mixing speed	r/min	24
Other parameters	Allowed range of concrete slump	mm	80 200
	Max. Aggregate diameter	mm	Pebble 50,crushed stone 40
	Dimension (length×width×height)	mm	5270×2000×1840
	Overall weight	Kg	3500
	Pulling speed	Km/h	≤8

















COMPANY













CERTIFICATE







Trade Assurance 100%protection for product quality and on-time shipment.































Customer Visit



Exhibition



Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

JiuHe Service

As a professional company, we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

A. Pre-sales service:

- 1. Selecting the most suitable equipment.
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- ${\bf 1.}\ {\bf Dispatch}\ {\bf technicians}\ {\bf to}\ {\bf install}\ {\bf and}\ {\bf debug}\ {\bf equipment}\ {\bf in}\ {\bf time}\ {\bf if}\ {\bf necessary},$
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery.
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.



Qingdao Jiuhe Heavy Industry Machinery Co., Ltd

+8618765268972

bella@jiuhezg.com



© concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.