# Hot Selling HBT60 Concrete High Pressure Cement Stationary Construction Concrete Pump Trailer Concrete Pumps

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details: 40 CONTAINER

CHINA

ISO CE

60m3/h

L/C, T/T

100SET

1

- Delivery Time: 15 WORKING DAYS
- Payment Terms:
- Supply Ability:



### **Product Specification**

• Brand:	JIUHE		
Warranty:	1 Year		
Condition:	New		
Color:	As Requested		
Keyword:	Concrete Pump		
Main Pump:	Kawasaki		
Cylinder Diameter:	200mm		
<ul> <li>Hopper Capacity:</li> </ul>	0.45m3		
• Max. Aggregate Diameter:	40mm		
Outlet Diameter:	125mm		
• Туре:	Trailer Concrete Pump		
• Weight:	4000kg		
• Highlight:	jiuhe upper driven High Pressure Cem Trailer Concrete Pumps		
	, jiuhe upper driven HBT60 Constructio		



## More Images







#### Hot Selling HBT60 Concrete High Pressure Cement Stationary Construction concrete pump Trailer Concrete Pumps for Sale

Introducing the 60m<sup>3</sup>/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 60m<sup>3</sup>/h Hydraulic Trailer Pump:

1.High Productivity: Our 60m<sup>3</sup>/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 60 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable for both small and large-scale construction projects.

2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.

3.Convenient Operation: Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.

4.Robust Durability: The 60m<sup>3</sup>/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.

5.Versatile Multi-Purpose: This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

ltem		Unit	Parameter
Pumping system	Max. theoretical delivery volume	m³∕h	60
	Max. theoretical delivery pressure	MPa	15.7
	Max. delivery frequency	times/min	22
	Distribution valve type		S tube valve
	Main oil cylinder specification: cylinder dia./pole dia.× journey	mm	Ф140/Ф90×1650
	Concrete cylinder specification	mm	Φ200
	Hopper capacity	L	600
	Output opening diameter	mm	150
	Hoisting height	mm	1400
Power system	Main electric motor power	Kw	110
	Rated voltage	V (AC)	380
	Rated rotation speed	r/min	1480
Hydraulic system	Type of Hydraulic oil circuit		Open circuit
	Main oil pump		Japanese Kawasaki
	Maximum system oil pressure	MPa	32
	Maximum oil pressure of mixing system	1	14
	Highest mixing rotate speed	r/min	24
	Hydraulic oil tank capacity	L	420
	Allowed max dia.of aggregate	1	Pebble50, crushed stone 40
	Inner dia.of concrete delivery pipe	mm	Φ125
	Max. delivery distance	horizontal	1000m
		vertical	250m
	Dimension (length× width×height)	mm	6170×1800×2100
	Weight	kg	5200





COMPANY



# CERTIFICATE



### **Customer Visit**





### **Development strategy**

Strives for the survival by the quality, seek development by science and technology

# Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

# JiuHe Service

As a professional company, we promise as following:

#### JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

### A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.
- B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

### C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

### D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

#### JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

1. Dispatch technicians to install and debug equipment in time if necessary,

2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,

- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.



