## Diesel And Electric Power Type Tow Behind Trailer Stationary Station **Concrete Pump Schwing Stetter Concrete Pumps**

#### **Basic Information**

CHINA • Place of Origin: • Brand Name: JIUHE . Certification: ISO CE

40 50 60 80 100m3/h Model Number:

• Minimum Order Quantity:

• Packaging Details: **40 CONTAINER** . Delivery Time: 15 WORKING DAYS

• Payment Terms: L/C, T/T • Supply Ability: 100SET



### **Product Specification**

JIUHE • Brand: 1 Year Warranty: . Condition: New


As Requested · Color: . Keyword: Concrete Pump • Main Pump: Kawasaki . Cylinder Diameter: 200mm 0.45m3 • Hopper Capacity: • Max. Aggregate Diameter: 40mm • Outlet Diameter:

• Type: Trailer Concrete Pump

. Weight: 4000kg

• Highlight: Tow behind Trailer Concrete Pump,

Diesel and Electric stationary pumpcrete,





### More Images











### **Product Description**

Diesel and Electric Power Type Tow behind Trailer Stationary Station Concrete pump Schwing stetter concrete pumps

Introducing the 40 50 60 80 100 m³/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 40 50 60 80 100 m³/h Hydraulic Trailer Pump:

1. High Productivity: Our 40 50 60 80 100m³/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 60 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable

for both small and large-scale construction projects.

2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.

3.Convenient Operation: Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.

4.Robust Durability: The 40 50 60 80 100m³/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.

5. Versatile Multi-Purpose: This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

Item	Unit	DHBT50S-13- 85	DHBT60S-13- 129	DHBT80S-13- 140	DHBT80S-16- 176	DHBT100S-21- 185
Theoretical delivery volume	ms/h	50	60	80	80	100
Theoretical delivery pressure	Мра	13	13	13	16	21
Max. delivery frequency	/min	20	22	22	22	24
Theoretical delivery height	m	150	180	180	240	260
Theoretical delivery distance	m	400	500	500	600	600
Type of distribution valve		S Valve				
Specificationof delivery cylinder	mm	200x1200	200x1650	200x1650	+200x1800	230x1800
Specification of main oil cylinder	mm	125/80x1200	125/80x1650	125/80x1650	140/90x1800	180/125x1800
Oil tank capacity	L	300	500	500	420	500
Hopper capacity	L	600	600	600	600	600
Feeding height	mm	1400	1400	1400	1400	1400
Outlet diameters	mm	180	180	180	180	180
Delivery pipe inner diameter	mm	125	125	中125	125	125
Diesel Power	Kw	85	129	140	176	185
Rated rotate speed	r/min	2200	2300	2300	2300	2300
Idling speed	r/min	800	800	800	800	800
Voltage of battery cell	V	24V	24v	24V	24V	24V
Fuel tank capacity	L	150	150	150	150	150
Hydraulic oil circuit type		Open circuit				
Max.oil pressure of main system	MPa	25	32	32	32	32
Max. oil pressure of mixing system	MPa	14	14	14	14	14
Max.mixing rotate speed	r/min	24	24	24	24	24
Concrete slump	mm	80~200	80~200	80~200	80~200	80~200
Allowable max	mm	Pebble 50, crushed stone 40				
dia. of aggregate					1	1
Dimension (lengthxwidthx	mm	5270x1860x2580	6600x1930x2190	6600x1930x2190	6600x1930x2190	6600x1930x2190
dia. of aggregate Dimension (lengthxwidthx height) Weight	mm	5270x1860x2580	6600x1930x2190	6600x1930x2190	6600x1930x2190	06600x1930x2190 7500





















#### COMPANY









### **CERTIFICATE**































# **Customer Visit**



### **Exhibition**



### **Packing**



### Development strategy

Strives for the survival by the quality, seek development by science and technology

### Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

### JiuHe Service

As a professional company,we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

#### A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

#### B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

#### C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

#### D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

#### JIUHE HEAVEY INDUSTRY MACHINERY Service Co

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.











No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.