for more products please visit us on concretepumpstrucks.com

Telescopic Work Platform Aerial Work Platform JIUHE Bucket Lift Truck 29m Aerial Operation Truck

Basic Information

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE
Model Number: 29m
Minimum Order Quantity: 1

Price: 20000USD-37000USD
 Delivery Time: 15 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



Product Specification

Model: 29

Name: Aerial Platform Truck

• Rated Load: 400kg

Highlight: aerial truck mounted articulated boom lift,
 Telescopic truck mounted articulated boom lift,
 aerial truck mounted lift platform



More Images











Product Description

Telescopic work platform Aerial Work Platform JIUHE Bucket Lift Truck 29m Aerial Operation Truck

JIUHE 29M truck mounted aerial work platform(high altitude working truck) isnew product of JIUHE group, set many function in one machine, specification, performance advanced than domestic same level products.

JIUHE High altitude working truck Available Model: 21M 23M 25M 29M 38M 45M, any model interest you, welcome contact us.

Main features as follows:

- 1. china aerial platform Lightweight design of the whole vehicle, welded with high-strength steel, with beautiful appearance;
- $2. \ The boom and outrigger are welded with high-strength steel, with beautiful appearance, large force and high strength;\\$
- ${\it 3. The telescopic boom expand and contract synchronously, which is fast, stable and reliable;}\\$
- 4. The front and rear outriggers have good stability and large span. The outriggers can be o perated at the same time or separately, and the operation is flexible. Can adapt to a variety of working conditions;
- 5. The turntable rotates 350 left and right, and adopts a double deceleration mechanism to move smoothly

- 6. Aerial work vehicle adopt Automatic control by controller, with display screen, setting protection mode to limit amplitude, safe and reliable;
- 7.Soft Leg Protection: Our 29-meter aerial work platform features intelligent soft leg protection. This function is designed to ensure the safety of operators. When the supporting legs encounter irregular or uneven terrain, the system automatically detects and halts upward movements to prevent vehicle instability or tipping.
- 8.Cabin Collision Prevention: To further enhance safety, our high-altitude vehicle is equipped with a cabin collision prevention feature. When the boom rapidly approaches the cabin, the system automatically stops the motion to prevent accidental collisions or trapping of the operator. 9.Single-Leg Operation: To improve operational flexibility, our aerial work platform allows for single-leg operation of the supporting legs. This means that in confined spaces, you can easily carry out high-altitude work without the need to set up the entire supporting leg system, saving time and labor.
- 10.Remote Wireless Control: Our high-altitude vehicle is equipped with an advanced remote wireless control system. This allows operators to have precise control over the vehicle while remaining in a safe position, away from potential risks. This feature is particularly valuable when working at heights or in situations where close proximity to the vehicle is inconvenient.
- 11.Ease of Maintenance: The design of the high-altitude vehicle takes into consideration ease of maintenance, reducing the time and cost associated with maintenance and servicing. This ensures the equipment's reliable operation over an extended period.

type	Item		Unit	Data
Truck	Brand		-	Foton
	Power		HP	149
	Cab		-	Left hand drive
	Emission standard		-	China 6
size	length		mm	6114
	width		mm	2010
	height		mm	3126
weight	passenger(include driver)		Person	2
	total weight		kg	8800
Performance	Work Platform Rated Load		kg	400
	maximum working height		m	28.9
	Working range at maximum working height		m	4
	Maximum working range		m	22
	Working height at maximum working range		m	5.1
	outrigger	horizontal(front/rear)	mm	7150/7200
	span	portrait(left/right)	mm	7495/7495
	Work platform Rotation		ō	360



















































Customer Visit



Exhibition



Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

JiuHe Service

As a professional company,we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

A. Pre-sales service

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- ${\it 4. Providing \ advice \ to \ ensure \ equipment \ running \ well \ in \ various \ construction. \ environments,}$
- 5. Making new construction scheme if necessary.

B. Sales service:

- 1. Equipment delivery transport agent,
- ${\hbox{\bf 2. Equipment quality control before delivery}},\\$
- 3. Introduce our service system to customers.

C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

D. Value-added service:

- ${\bf 1.}\ Overall\ process\ and\ zero\ distance\ technology\ tracking\ service\ for\ key\ projects,$
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.



