

# JIUHE DHBT80-16-176 Diesel Trailer Concrete Boom Pump Overall Hydraulic

#### **Basic Information**

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE
Model Number: 80m3/h
Minimum Order Quantity: 1

Packaging Details: 40 CONTAINERDelivery Time: 15 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



## **Product Specification**

Brand: JIUHEWarranty: 1 YearCondition: New

· Color: As Requested · Keyword: Concrete Pump • Main Pump: Kawasaki • Cylinder Diameter: 200mm 0.45m3 . Hopper Capacity: Max. Aggregate Diameter: 40mm • Max. Delivery Distance: 1000m • Max. Delivery Height: 250m Max. Horizontal Delivery 800m

 Max. Theoretical Conveying 90m3/h Capacity:

O. Hat Diameters 105---



### More Images

Distance:









# 2023 hot China JIUHE DHBT80-16-176 Diesel trailer or stationary price Concrete boom pump overall hydraulic for sale

Introducing the 80m³/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 80m³/h Hydraulic Trailer Pump:

1.High Productivity: Our 80m³/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 80 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable for both small and large-scale construction projects.

2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.

**3.Convenient Operation:** Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.

**4.Robust Durability:** The 80m³/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.

**5.Versatile Multi-Purpose:** This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

em		Unit	Parameter
Pumping system	Max. theoretical delivery volume	m³/h	80
	Max. theoretical delivery pressure	Мра	15.7
	Max. theoretical delivery height	m	250
	Max. theoretical delivery distance	m	1000
	Max. delivery frequency	times/min	26 (low pressure); 16 (high pressure)
i	Type of distribution valve		S tube valve
	Specification of delivery cylinder	mm	200×1650
	Specification of main cylinder	mm	Ф140/90×1650
	Volume of gasoline tank	L	420
	Hopper capacity	L	600
	Hoisting height	mm	1450
	Output opening diameter	mm	150
	Inner dia. of delivery pipe	mm	125
	Fuel consumption		228g/kwh
	Power of diesel engine	Kw	176
	Rated rotate speed	r/min	2300
	Idling speed	r/min	800
	Voltage of battery cell	V	24VDC
	Volume of oil tank	L	150
Hydraulic system	Hydraulic oil circuit type		Open circuit
	Max. oil pressure of main system	MPa	32
	Max. oil pressure of mixing system	MPa	14
	Max. mixing rotate speed	r/min	24
Other parameters	Concrete slump	mm	80 200
	Allowable max dia. of aggregate	mm	Pebble50, crushed stone 40
	Dimension (length×width× height)	mm	6600×1930×2190
	Weight	Kg	6800













# COMPANY









# **CERTIFICATE**





































# **Customer Visit**



# **Exhibition**



# **Packing**



# **Development strategy**

Strives for the survival by the quality, seek development by science and technology

### Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

#### JiuHe Service

As a professional company, we promise as following:

#### JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

#### A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

#### B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

#### C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

#### D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

#### JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.

Qingdao Jiuhe Heavy Industry Machinery Co., Ltd

+8618765268972

bella@jiuhezg.com

© concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.