

# 38M concrete boom pump truck without chassis small concrete pump without truck

### **Basic Information**

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE
Model Number: 38m
Minimum Order Quantity: 1

• Delivery Time: 25 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



### **Product Specification**

• Brand: JIUHE

Keyword: Concrete Pump Without Chassis

Main Pump: RexrothWireless Remote Control: HBCChassis Model: ABC-123

• Dimensions: 11000\*2500\*3800mm

• Engine Model: XYZ-456 Engine Power: 240Kw . Hopper Capacity: 0.6m<sup>3</sup> Manufacturer: ABC Co. • Max. Aggregate Size: 30mm • Max. Delivery Distance: 200m • Max. Delivery Height: • Max. Theoretical Output: 150m<sup>3</sup>/h Max. Theoretical Pressure: 7MPa



### More Images







### **Product Description**



As different country has different requirement on the truck, if you have truck in hand, that's also available only selling our concrete boom pump without truck.

Concrete pump truck is the refined product after HBT trailer concrete pump, HBC concrete line pump, HGY hydraulic concrete placing boom, and it is the high efficient concrete conveying equipment integrating concrete pumping and placing. The boom covers high reliability, economy, safety, durability, owing reasonable matching of chassis, power, electric control and hydraulic pump system.

JIUHE is specialized in researching, manufacturing, sale and after sale for construction machinery, main productstrailer concrete pump, concrete line pump, concrete pump truck, concrete placing boom, wet shotcrete machine, ladder lift truck, high altitude working truck and so on.

Chassis		
1	Chassis Brand	Sinotruk
2	Engine Power	310HP
II. Boom syste	m	
1	Max. Vertical height(M)	38
2	Max. Horizontal Concrete Placing radius (M)	34
3	Concrete placing depth(M)	25.7
4	Control mode	Electric proportion
5	Folding type of boom	RZ type
6	Folding type of boom	360°
7	Opening mode of landing leg	X-R
8	Length of end hose (MM)	3000
9	Concrete delivery pipe dia.	125
III. Electric Cor	ntrol System	
1	Working voltage:	24
IV. Hydraulic tı	ransmission system	·
1	Type of hydraulic system	Open type
2	System working pressure (Mpa)	31.5
3	Displacement of main hydraulic oil pump (ml/r)	190
4	Hydraulic fuel tank capacity (I)	600
5	Cooling mode of hydraulic oil	Forced-air Cooling
6	High-low pressure changeover valve	None
VII. Pumping s	ystem	
1	Form of concrete distribution valve	S Valve
2	concrete cylinder	230
3	Maximum feeding height (MM)	1500
4	Hopper capacity (M3)	0.65
5	Slump of pumped concrete	160-220
6	Dimension of allowable maximum aggregate (MM)	40







### COMPANY













### **CERTIFICATE**







### **Trade Assurance** 100%protection for product quality and on-time shipment.































## **Customer Visit**



## **Exhibition**



# Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

### Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

### JiuHe Service

As a professional company, we promise as following:

### JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

#### A. Pre-sales service:

- 1. Selecting the most suitable equipment.
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

#### B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

### C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

#### D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

### JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.





bella@jiuhezg.com



© concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.