

# JIUHE 80m3/H Diesel Concrete Trailer Pump For Sale

Live II

### **Basic Information**

Place of Origin: CHINA
Brand Name: JIUHE
Certification: ISO CE
Model Number: 80m3/h
Minimum Order Quantity: 1

Packaging Details: 40 CONTAINERDelivery Time: 15 WORKING DAYS

Payment Terms: L/C, T/TSupply Ability: 100SET



### **Product Specification**

Brand: JIUHEWarranty: 1 YearCondition: New

· Color: As Requested · Keyword: Concrete Pump • Main Pump: Kawasaki • Cylinder Diameter: 200mm 0.45m3 . Hopper Capacity: Max. Aggregate Diameter: 40mm • Max. Delivery Distance: 1000m • Max. Delivery Height: 250m Max. Horizontal Delivery 800m Distance:

 Max. Theoretical Conveying 90m3/h Capacity:

O. Hat Diameters 105---



### More Images



### **Product Description**

### JIUHE 80m3/h diesel concrete trailer pump for sale

Introducing the 80m³/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 80m³/h Hydraulic Trailer Pump:

- 1.High Productivity: Our 80m³/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 60 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable for both small and large-scale construction projects.
- 2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.
- 3. Convenient Operation: Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.
- 4.Robust Durability: The 80m³/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.
- 5. Versatile Multi-Purpose: This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

| n 目                       |  | Unit 位    | Parameter参数                             |
|---------------------------|--|-----------|---|
| Pumping<br>system<br>送系   | Max. theoretical delivery volume<br>最大理 送量   | m³/h      | 80                                      |
|                           | Max. theoretical delivery pressure<br>最大理 送力 | Мра       | 15.7                                    |
|                           | Max. theoretical delivery height<br>最大理 送高度  | m         | 250                                     |
|                           | Max. theoretical delivery distance<br>最大理 送距 | m         | 1000                                    |
|                           | Max. delivery frequency<br>最大 送 率            | times/min | 26 (low pressure低); 16 (high pressure高) |
|                           | Type of distribution valve<br>分配 形式          |           | S tube valve<br>S 管                     |
|                           | Specification of delivery cylinder<br>送缸 格   | mm        | 200×1650                                |
|                           | Specification of main cylinder<br>主油缸 格      | mm        | Ф140/90×1650                            |
|                           | Volume of gasoline tank<br>液 油 箱容            | L         | 420                                     |
|                           | Hopper capacity<br>料斗容                       | L         | 600                                     |
|                           | Hoisting height<br>上料高度                      | mm        | 1450                                    |
|                           | Output opening diameter<br>出料口直径             | mm        | 150                                     |
|                           | Inner dia. of delivery pipe<br>送管内径          | mm        | 125                                     |
|                           | Fuel consumption<br>油耗                       |           | 228g/kwh                                |
|                           | Power of diesel engine<br>柴油机功率              | Kw        | 176                                     |
|                           | Rated rotate speed<br>定速                     | r/min     | 2300                                    |
|                           | Idling speed<br>怠速                           | r/min     | 800                                     |
|                           | Voltage of battery cell<br>蓄池                | V         | 24VDC                                   |
|                           | Volume of oil tank<br>油箱容                    | L         | 150                                     |
| Hydraulic<br>system<br>液系 | Hydraulic oil circuit type<br>液 油循 形式        |           | Open circuit<br>式                       |
|                           | Max. oil pressure of main system<br>主系 油     | MPa       | 32                                      |
|                           | Max. oil pressure of mixing system<br>拌系 油   | МРа       | 14                                      |
|                           | Max. mixing rotate speed<br>最大 拌 速           | r/min     | 24                                      |

| Other parameters 其他参数 | Concrete slump<br>混凝土 落度                    | mm | 80 200                     |
|-----------------------|---|----|----------------------------|
|                       | Allowable max dia. of aggregate<br>允 最大骨料粒径 | mm | Pebble50, crushed stone 40 |
|                       | Dimension (length×width× height)<br>尺寸      | mm | 6600×1930×2190             |
|                       | Weight<br>重量                                | Kg | 6800                       |





### COMPANY













### **CERTIFICATE**







































# **Customer Visit**



# **Exhibition**



# Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

### Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

### JiuHe Service

As a professional company, we promise as following:

### JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

### A. Pre-sales service:

- 1. Selecting the most suitable equipment.
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

### B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

### C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

#### D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

### JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

- 1. Dispatch technicians to install and debug equipment in time if necessary,
- 2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,
- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.



## Qingdao Jiuhe Heavy Industry Machinery Co., Ltd

+8618765268972

bella@jiuhezg.com



© concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.