

CHINA JIUHE

ISO CE

L/C, T/T

100SET

45m

1

JIUHE Platform Lift Truck Work PlatformAerial Work Platform JIUHE Bucket Lift Truck 45m Aerial Operation Truck

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price: 20000USD-37000USD
- Delivery Time: 15 WORKING DAYS
- Payment Terms:
- Supply Ability:



Product Specification

- Model:
- Name:
- Rated Load:
- Highlight:

45m aerial work truck, 45m truck mounted work platform, aerial operation truck mounted work platform
400kg
Aerial Platform Truck
45m



More Images







JIUHE Platform Lift Truck Work platformAerial Work Platform JIUHE Bucket Lift Truck 45m Aerial Operation Truck

JIUHE 45M truck mounted aerial work platform(high altitude working truck) isnew product of JIUHE group, set many function in one machine, specification, performance advanced than domestic same level products.

JIUHE High altitude working truck Available Model: **21M 23M 25M 29M 38M 45M**, any model interest you, welcome contact us.

Main features as follows:

1. china aerial platform Lightweight design of the whole vehicle, welded with high-strength steel, with beautiful appearance;

2. The boom and outrigger are welded with high-strength steel, with beautiful appearance, large force and high strength;

The telescopic boom expand and contract synchronously, which is fast, stable and reliable;
 The front and rear outriggers have good stability and large span. The outriggers can be o perated at the same time or separately, and the operation is flexible. Can adapt to a variety of working conditions;

5. The turntable rotates 350 left and right, and adopts a double deceleration mechanism to move smoothly

6. Aerial work vehicle adopt Automatic control by controller, with display screen, setting protection mode to limit amplitude, safe and reliable;

7.Soft Leg Protection: Our 45-meter aerial work platform features intelligent soft leg protection. This function is designed to ensure the safety of operators. When the supporting legs encounter irregular or uneven terrain, the system automatically detects and halts upward movements to prevent vehicle instability or tipping.

8.Cabin Collision Prevention: To further enhance safety, our high-altitude vehicle is equipped with a cabin collision prevention feature. When the boom rapidly approaches the cabin, the system automatically stops the motion to prevent accidental collisions or trapping of the operator.
9.Single-Leg Operation: To improve operational flexibility, our aerial work platform allows for single-leg operation of the supporting legs. This means that in confined spaces, you can easily carry out high-altitude work without the need to set up the entire supporting leg system, saving time and labor.

10.Remote Wireless Control: Our high-altitude vehicle is equipped with an advanced remote wireless control system. This allows operators to have precise control over the vehicle while remaining in a safe position, away from potential risks. This feature is particularly valuable when working at heights or in situations where close proximity to the vehicle is inconvenient.

11.Ease of Maintenance: The design of the high-altitude vehicle takes into consideration ease of maintenance, reducing the time and cost associated with maintenance and servicing. This ensures the equipment's reliable operation over an extended period.

	Model	CA1189PK15L2BE6A81			
	engine	CA4DK1-22E61			
	Emission Standards	GB3847-2005, GB1	7691-2018 National VI		
chassis parameter	engine maximum power/Rotating speed	162 KW/2300(r/min)			
	Wheelbase (mm)	4900			
	drive form	4×2			
	cab	Flat-top, single row, 3 people			
	Dimensions (mm)	Length 9680×width 2495×height 4000			
	Overhang (mm)	Front suspension 1335;			
		rear suspension 2530			
vehicle main	Approach angle (degree)	twenty one			
parameter	Departure angle(degree)	13			
	Total mass (KG)	18000			
	Curb weight(KG)	17805			
		Boom form	Seven-section synchronous telescopic boom		
		Material	high strength steel		
	boom	Boom section	8-sided		
		Amplitude	Double-cylinder luffing, more stable		
		undulation angle	0°-80°(relative to horizontal plane)		
		maximum working height (m)	45		
		Maximum platform bottom height(m)	43.5		
Upper unit basic data	Working conditions	Maximum working range(m)	28		
		Maximum platform capacity(KG)	400or2people		
		Turntable rotation	350°		
		form	Front X Back X		
		Material	high strength steel		
		Section number	4 horizontal sections,		
	outrigger	span	2 vertical sections Portrait 7495 Horizontal 7150 (front)/7200 (rear)		
		safety equipment	Ground detection switch, alarm indicator, buzzer and level		











Exhibition



Packing



Development strategy

Strives for the survival by the quality, seek development by science and technology

Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

JiuHe Service

As a professional company,we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

1. Dispatch technicians to install and debug equipment in time if necessary,

2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,

- 3. Provide free operation and maintenance training service for users
- 4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.

Qingdao Jiuhe Heavy Industry Machinery Co.,Ltd							
	Bella Chao Sales Manager +86–18765268972						
	 +86-18765268972 +86-15764227812 +86-15764227812 Bella@jiuhezg.com 						

Qingdao Jiuhe Heavy Industry Machinery Co., Ltd						
O	+8618765268972	bella@jiuhezg.com	e	concretepumpstrucks.com		
No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.						