

# **Diesel And Electric Power Type Tow Behind Trailer Stationary Station Concrete Pump Schwing Stetter Concrete Pumps**

for more products please visit us on concretepumpstrucks.com

# • Place of Origin:

### • Brand Name:

**Basic Information** 

- Certification:
- Model Number:
- Packaging Details:
- Delivery Time: • Payment Terms:
- Supply Ability:



CHINA

- 40 50 60 80 100m3/h
- Minimum Order Quantity: 1
  - **40 CONTAINER** 
    - 15 WORKING DAYS L/C, T/T
    - 100SET



# **Product Specification**

Highlight:	Tow behind Trailer Concrete Pump, Diesel and Electric stationary pumpcrete, Tow behind stationary pumpcrete
Weight:	4000kg
• Type:	Trailer Concrete Pump
Outlet Diameter:	125mm
• Max. Aggregate Diameter:	40mm
<ul> <li>Hopper Capacity:</li> </ul>	0.45m3
<ul> <li>Cylinder Diameter:</li> </ul>	200mm
Main Pump:	Kawasaki
Keyword:	Concrete Pump
Color:	As Requested
Condition:	New
Warranty:	1 Year
• Brand:	JIUHE



# More Images



## **Product Description**

#### Diesel and Electric Power Type Tow behind Trailer Stationary Station Concrete pump Schwing stetter concrete pumps

Introducing the 40 50 60 80 100 m3/h Hydraulic Trailer Pump by JIUHE GROUP, an exceptional piece of engineering equipment that combines state-of-the-art technology with time-tested design to provide unparalleled advantages for your construction projects. Here are the key features and advantages of our 40 50 60 80 100m3/h Hydraulic Trailer Pump:

1. High Productivity: Our 40 50 60 80 100m3/h Hydraulic Trailer Pump boasts outstanding pumping capacity, handling 60 cubic meters of concrete per hour, ensuring rapid progress in construction schedules. It is suitable

for both small and large-scale construction projects.

2.Exceptional Pumping Performance: The hydraulic trailer pump features an efficient hydraulic system and precise pumping mechanism, ensuring stable and reliable pumping performance. It delivers uniform pumping regardless of concrete mix, reducing waste.

3.Convenient Operation: Designed with operator convenience in mind, the hydraulic trailer pump is easy to operate. Equipped with an intuitive control panel, operators can easily master the equipment, enhancing construction efficiency.

4.Robust Durability: The 40 50 60 80 100m<sup>3</sup>/h Hydraulic Trailer Pump is constructed using high-strength materials and impeccable manufacturing processes, ensuring the equipment's durability. It can withstand testing conditions in various challenging construction environments and operate reliably over the long term.

5.Versatile Multi-Purpose: This hydraulic trailer pump is not limited to concrete pumping; it can also be used for conveying mortar, paste-like materials, and other granular substances, making it a versatile construction tool.

ltem	Unit	DHBT50S-13- 85	DHBT60S-13- 129	DHBT80S-13- 140	DHBT80S-16- 176	DHBT100S-21- 185		
Theoretical delivery volume	ms/h	50	60	80	80	100		
Theoretical delivery pressure	Мра	13	13	13	16	21		
Max. delivery frequency	/min	20	22	22	22	24		
Theoretical delivery height	m	150	180	180	240	260		
Theoretical delivery distance	m	400	500	500	600	600		
Type of distribution valve		S Valve						
Specificationof delivery cylinder	mm	200x1200	200x1650	200×1650	+200x1800	230x1800		
Specification of main oil cylinder	mm	125/80x1200	125/80x1650	125/80x1650	140/90x1800	180/125x1800		
Oil tank capacity	L	300	500	500	420	500		
Hopper capacity	L	600	600	600	600	600		
Feeding height	mm	1400	1400	1400	1400	1400		
Outlet diameters	mm	180	180	180	180	180		
Delivery pipe inner diameter	mm	125	125	中125	125	125		
Diesel Power	Kw	85	129	140	176	185		
Rated rotate speed	r/min	2200	2300	2300	2300	2300		
Idling speed	r/min	800	800	800	800	800		
Voltage of battery cell	V	24V	24v	24V	24V	24V		
Fuel tank capacity	L	150	150	150	150	150		
Hydraulic oil circuit type		Open circuit						
Max.oil pressure of main system	MPa	25	32	32	32	32		
Max. oil pressure of mixing system	MPa	14	14	14	14	14		
Max.mixing rotate speed	r/min	24	24	24	24	24		
Concrete slump	mm	80~200	80~200	80~200	80~200	80~200		
Allowable max dia. of aggregate	mm	Pebble 50, crushed stone 40						
Dimension (lengthxwidthx height)	mm		06600x1930x2190					
Weight	kg	4000	6300	6800	7000	7500		
Pull speed	Km/h	≤8	≤8	≤8	≤8	≤8		



















# CERTIFICATE







## Exhibition







# **Development strategy**

Strives for the survival by the quality, seek development by science and technology

# Corporate philosophy

People-oriented, science and technology enterprise, recruiting high level scientific and technological personnel, actively introduce advanced technology at home and abroad

## JiuHe Service

As a professional company,we promise as following:

JIUHE HEAVEY INDUSTRY MACHINERY service system MAX customer experiences.

#### A. Pre-sales service:

- 1. Selecting the most suitable equipment,
- 2. Designing your personal machinery according to special construction demands,
- 3. Training your technicians to operate our equipment,
- 4. Providing advice to ensure equipment running well in various construction. environments,
- 5. Making new construction scheme if necessary.

#### B. Sales service:

- 1. Equipment delivery transport agent,
- 2. Equipment quality control before delivery,
- 3. Introduce our service system to customers.

#### C. After-sales service:

- 1. Making the first construction scheme,
- 2. Installing and debugging your equipment,
- 3. Troubleshooting on site, prompt and initiative,
- 4. door to door accessories and parts,
- 5. Opportunities to get technical communications with our engineers.

#### D. Value-added service:

- 1. Overall process and zero distance technology tracking service for key projects,
- 2. Carry out large maintenance business,
- 3. Regular equipment checking service,
- 4. Technology update,
- 4. Provide professional periodic maintenance standards for customers.

#### JIUHE HEAVEY INDUSTRY MACHINERY Service Commitments for sold equipment:

1. Dispatch technicians to install and debug equipment in time if necessary,

2. Provide free maintenance service for the products which have product quality problems within a year after the delivery,

3. Provide free operation and maintenance training service for users

+8618765268972

4. Provide lifelong paid maintenance service, accessories and parts supply for the sold products.





bella@jiuhezg.com (e) concretepumpstrucks.com

No.977 Qingwei Road, Jinkou Town, Jimo, Qingdao.